



Meanders:

White River in Township 9N Range 4W



Indiana Historical Land Survey Documents project - LW & CJH, 2021

Surveyed: 5/1820

Meander of ^{White} ~~Habers~~ R

T 9 N. R 4 W 2 M.

John Murray

Course	Distance	Remarks
West	9.35	Township No. 9. Range 4 West 2 nd Meridian In Section 1. N.E. Corner thence west to Bank of N.W. Fork of White River Set post for Corner from which a Cotton wood 14 inches diam ^t bears N 58° W. 13 links dist ^t and a Cotton wood 7 inches diam ^t bears S 82° E 24 links dist ^t
S 46° E	2.22	down S.E. Side of River
South	8.00	in Section 1.
S 13° W	3.4	
S 4° W	4.50	
S 32° 30' W	4.74	
S 58° 30' W	11.60	(Day 11.10)
S 25° E	7.50	
S 80° E	6.4	
N 82° E	2.79	
N 35° W	3.25	
N 32° E	1.60	
S 42° E	3.74	
S 22° E	15.67	83.60.

910° W 6" 62
 943° W 9" 74
 933° W 10" 50
 South 8" 61

to Section line. Set post
 per corner to Sec. 1-8-12. from
 which a willow 10 inches diam.
 bears N 11° W. 11 links dist.
 & And a maple 4 inches.
 diam. bears East 17 links
 dist.

West 5" 4 distance across the River

East 17" 13 On line dividing sections
 1-8-12 - to corner

In Section 12.

962° W 4" 15
 924° W 3" 73
 916° W 3" 71
 934° W 5" 41
 949° W 8" 39
 967° W 4" 13
 942° 30' W 10" 95
 936° W 8" 30
 921° W 8" 77

S 44° W 31.30

S 12° W 19.88

to a Creek from the South
75 links west

11th May 1820

S 26° W 41.00

S 30° W 31.98

S 13° W 41.00

to Section line Let post
per corner from which a
Cotton wood 16 inches diam
lean East 15 links and a
Cotton wood 6 inches
diam - lean N 19° W 14
links distant

West 41.92

distance across the
River between Sections
12.4.13.

East 22.60

to 1/4 Section corner on
Section line

In Section 13

South 41.37

S 18° W 14.39

S 30° W 5.68

S 62° W 8.10

98.20

Section line Let post

For Corner to Sections 13.8
 14. From which a wal-
 nut 3 feet diam^r bears
 S 67° W 30 links and an
 Elm 10 inches diam^r
 bears S 71° E 34 links dist^r

North 4" 50 Distance Across the
 River between Sec. 13.8 14

South 13.8 Between Sections 13.8
 14. to 14 Feet Corner

Sections 14

S 80° W 3" 35 a Rocky Bluff

N 41° W 1" 65

S 49° W 1" 23

S 48° W 3" 30

S 83° W 3" 50

S 78° W 1" 22

S 76° W 4" 75

S 67° W 10" 00

S 52° 1/2° W 4" 20

S 27° W 6" 13

S 1° W 9" 54 1/2

S 22° W 2" 46

S 41° W 9" 10

S 10° E 1" 50

S 68° W 12.24

79.51 1/2

S 10° W	3.39
S 12° 30' W	4.66
S 25° W	2.63
S 12° W	1.00

to line between Sections
14. & 23. Set post for
Corner from which a
Red Oak 8 inches diam.
leaves S 49° E 9 links &
a Cotton wood 10 inches
diam. leaves N 21° W
21 links dist.

East	13.34
------	-------

On line between 14. & 23
to Sec. Corner

S 12° W	2.00
S 29° W	2.67
S 17° 30' W	5.26
S 52° W	1.65
S 41° W	1.75
S 39° W	3.40
S 67° W	9.96
N 83° W	1.49
N 88° W	5.75
N 65° W	2.39

61.34

In Section 23.

To line between Sections
22. & 23. Set post for Cor-
ner from which a Hoop Oak
6 inches diam. leaves East 3
links and an ash 10 inches

diamt bears S 65° E
37 links distant

North 6.93 width of the River

South 21.88 Between Sec. 22 & 23
to 1/4 Section corner

In Section 22

N 59° W 3.94

N 31° W 4.37

N 24° W 6.40

N 9° W 3.94

N 11 1/2° W " 85

12th May 1820

N 12° W 1.55 to line between Sec. 15
& 22. Set post for corner
from which a Buckeye
8 inches diamt. bears East
9 links and a Butternut
14 inches diamt. bears
N 30° E 22 links distant

East 5.13 width of River

West 28.80 to 1/4 Section post
80.78

N 15° W	3.58
N 14° W	5.52
N 35° W	6.38
N 47° W	5.21
N 60° W	2.39
N 75° W	10.85
S 80° W	4.63
N 73° W	2.18
N 82° W	1.51
N 72° W	15.56
S 48° W	5.72
S 14° W	9.36
S 42 1/2° E	3.75
S 44° W	4.00
S 53° W	6.66
N 89° W	4.75
N 68° W	5.16
N 71° W	2.19
N 90° W	3.56

In Section 15

Section line set part from
which a Hickory 16 inches
diamt bears N 80° E 21
links and a Hickory 20
inches diamt bears S 80°
W. 28 1/2 links distant

North 13.87 Distance Across the River
Course here N.E.

South 9.18 Corner to Sections 15-16.
125.95 21.822.

N 51° W	4.62	In Section 16.
N 35° W	4.6	
N 8° W	3.11	
North	1.72	
N 10° W	2.96	
N 20° W	3.78	
N 34° W	4.98	
N 71° W	3.9	
S 84° W	2.42	
S 41° W	4.72	
S 42° W	6.11	
S 5° 30' W	2.7	
S 3° E	11.5-	
S 28° W	1.20	
S 17° W	3.52	
S 52° W	4.84	
S 69° W	4.32	To line dividing Section 16. & 21. 15 links west of 1/4 Section post
S 80° W	2.8	

In Section 21.

S 66° W	5.26
S 70° W	3.6
S 79° W	8.32
N 82° W	4.71
N 76° W	3.15-
S 45° W	3.61
S 16 1/2° W	2.78-
S 34° E	3.75-
S 40° E	1.94

107.70

95.3° E	6.10
96.4° E	4.52
97.2° E	2.75
94.9° E	5.95
91.5-30° E	3.00
92.4° E	3.64
91.4° E	2.47
98° E	6.37
92.2° W	4.54
93.4° W	4.94
95.9° W	2.86
94.5° W	12.4
92.5° W	4.27
96° W	7.40
91.9° E	2.43
97° W	11.68

to Section line dividing
21.8.28. Set post for
Corner from which a
Cotton wood 7 inches diam
bearing N 48° E 15 links &
and a Cotton wood 8
inches diam bearing S 30° E
30 links distant

East	22.94
West	5.47

112.40

to 1/4 Section Corner
width of River
Saturday 13th May
1820

S 24° E	10 91
S 30° E	6 11 49
S 38° E	2 11 61
S 59° E	3 11 60
N 68° E	9 11 42
N 49° E	2 11 68
N 57° E	4 11 19
N 89° E	2 11 32
N 85° E	2 11 36
S 84° E	6 11 38
S 49° E	6 11 38
S 18° E	7 11 94
S 9° W	4 11 5
S 14° W	3 11 55
S 8° E	1 11 50
S 6° W	6 11 14
S 10° W	2 11 59
South	2 11 46
S 18° E	8 11 00
S 39° E	2 11 56
S 50° E	3 11 64
S 11° E	5 11 10

In. Section 28

S 19° E 344

S 30° E 6.52

S 39° E 12.49

" " " " 85

S 22° E 11 55

102.57

to mouth of Maroon Creek
 Course from East 85
 links with
 to line dividing Section
 28. & 33 1st part for Corner
 from which a willow 6
 inches diam. bears N 88°
 E 7 links and a willow 8 1/2
 inches diam. bears S 5° W
 9 links distant

West	4.37	Width of River
East	2.37	to Section Corner

South	4.00	In Section 33
S 40° W	1.65	
S 26° W	4.19	
S 43 1/2° W	6.53	

South	4.48
N 63° E	2.27
S 24° E	1.63
S 35° W	3.00
S 20° W	8.27
S 36° W	5.91
S 53° W	11.5
S 65° W	2.79
S 57° W	9.51
S 24° W	1.40
S 42° W	5.82
S 55° W	1.92
S 63° W	3.38
S 59° W	4.46
S 48° W	3.92
S 57° W	6.84
S 44° W	5.85
S 1° E	4.90
N 85° E	5.55
N 73° W	4.77
N 75° W	1.43
	130.36

To Section line dividing 32. & 33. Set post
per corner from

which a Hickory 10
inches diam^t bears
S 57° W 30 links and a
B. Walnut 10 inches
diam^t bears S 72° E 16
links distant

South 10.00 to Section corner

North 5.77 width of River

N 75° W 5.35 On Section 33.

N 45° W 2.29

N 27° W 2.19

N 31° W 10.14

S 89° W 6.89

S 31° W 5.44

S 88° E 2.58

N 60° E 4.59

S 8° E 3.6

S 40° W 4.92

S 67° W 2.80

N 86° W 9.64

S 79° W 1.53

N 83° W 10.35

N 79° 30' W 2.98

N 72° W 4.9

N 83° W 1.85

" " " 1.2

to a pond putting out
of the River

97.32

to the mouth of Jacks Creek
1 Chain ²² links wide from
S. E. ¹/₂ course

N 40° W.	1" 30
N 81° 30' W	57.64
N 61° W	1" 60
N 40° W	3" 50
N 50° W	6" 75
N 27° W	7" 59
N 82° W	1" 18
N 79° W	3" 57
S 61° W	1" 51

To line dividing Sec.
31. & 32. It first per
corner from which a
willow 4 inches diam^t
beams S 44° W 29 links
And a willow 6 inches
diam^t beams N 39° E
20 links distant

South 31. & between Sec. 31. & 32.
to corner

North 4" 24 across the River

S 62° W	57.27
S 44° W	6" 60
S 27° W	7" 16
S 19° W	1" 52
S 26° W	2" 18
S 18° W	5" 00
S 42° W	5" 1
S 42° E	4" 9

Section 31.

79 77
to Township line

Set post for Corner to
Sec. 31. from which a
maple 7 inches diameter
bears N 57° W 16 links &
a maple 20 inches diameter
bears S 57° E 16 links
distant

East

14.42

On Township line to
Corner of Section

Monday 15th May
1820

West

1.94

to An Island in the
River

1.95

width of Island

2.85

to north west bank of

21.19

River - Set post for
Corner to Sec. 31. from
which a Boxwood 8
inches diameter bears
N 24° E 11 1/2 links and
a Boxwood 3 1/2 inches
diameter bears S 30° E
1 1/2 links distant

North	2.65
N 13° W	1.6
N 13° E	2.19
" " "	4.10
N 6° W	2.7
N 31° E	3.80
N 5° W	1.55
" " "	2.41
N 19° E	3.95
N 24° E	2.16
N 36° E	4.27
" " "	1.00
N 49° E	2.75
N 44° E	3.45
N 55 1/2° E	1.80
N 68° E	3.94
N 80° E	1.44
N 69° E	5.47

Thence up the River
N. W. Side

To upper point of Island
to Fish Creek corner from
N. W. 4.10 wind at
mouth

lower point of an
Island

upper point of Island

to Section line Set post
per corner from which
a Sugar tree 15 inches
diam. bears S 46° W
22 links and a Birch
2 foot diam. bears
North 13 links dist.

S 66° E
S 70° E

6.66
4.67

In Section 32
6.17

S 46° E	7 1/45
S 5° E	4 1/78
S 42° E	4 38
S 77° E	8 1/65
S 89° E	6 1/23
N 82° E	1 1/68
S 80° E	4 1/50
S 69° E	8 1/28
N 47° E	5 1/76
N 27° E	4 1/10
N 44° E	5 1/50

to mouth of Creek course
from north 1.00 width
of Creek

N 75° E	1 1/60
N 70° E	2 1/45
N 77 1/2° E	4 1/35
S 69° E	2 1/93
S 44° E	10 1/17
S 25° E	3 1/84
S 49° E	2 1/76

To Section line dividing
32. & 33. Set post for
corner from which an Ash
3 inches diam^r cedar
cedar N 30° E 13 1/2 links
and a cotton wood 4 inches
diam^r cedar N 79° E 18
links distant

S 56° E	4 1/542	In Section 33
N 83° E	3 1/30	102.33
N 63° E	5 1/8	

N 50° E	61.19
N 58° E	61.79
N 68° E	11.63
N 53° E	41.43
N 67° E	41.97
N 88° E	51.89
N 54° E	31.38
N 43° E	8.52
N 54° E	11.50
N 42° E	51.6
N 47° E	41.7
N 23° E	11.34
N 46° E	21.92
N 73° E	51.50
N 39° E	41.09
N 10° E	41.85
N 4° E	51.60
N 11° E	51.53
N 35° E	21.97
N 1° E	21.11
N 45° E	41.13
N 34 1/2° E	31.20

95.57

to Section line Let/next
 Corner to Sec 28. & 33
 from which a maple
 3 inches diam^t bears
 north 80 links and a
 maple 3 inches diam^t
 bears 45° W 12 links di^t

N 16° E 41.22 In Section 28

N 58° W 41.45

N 36° W 41.81

N 11° W 41.7

" " " # 89

N 5° E 91.42

" " " 41.38

N 30° E 11.69

N 2° E 41.6

N 26° E 21.26

N 30° W 31.54

N 59° 30' W 31.64

N 85° W 31.45

N 63° W 51.33

N 57° W 51.54

N 85° W 61.7

N 72° W 91.19

N 35° W 51.38

N 31° W 11.88

N 41° W 11.24

N 26° W 21.56

N 30° W 11.97

N 41° W 11.63

N 33° W 61.86

N 26° W 11.47

N 33° W 11.38

N 49° W 11.23

N 8° W 11.36

N 19° W 41.35

N 1° E " 42

A Small Island or Sand
bar

Upper End of Island

118.24

to Section line
Set post per Corner

to Section 21 & 28.
 From which a Hackberry
 4 inches diam - bears
 East 3 links And a Hack-
 berry 8 inches diam -
 bears N 8° W 13 links
 distant
 Tuesday 16th May
 1820

N 5° W	5.10	In Section 21.
N 11° E	8.37	
N 22° E	7.46	
N 17° E	3.22	
N 44 1/2° E	10.68	
N 68° E	1.57	
N 25° E	1.84	
N 22° E	9.66	
N 18° W	1.66	
N 30° W	8.73	
N 45° W	2.55	
N 53 1/2° W	10.63	
N 61° W	3.64	
N 34° W	2.8	
N 42° W	2.6	
N 13° W	3.79	
N 2° W	3.63	
N 4° E	6.10	

92.90

N 15° E 11.85

N 28° E 2.69

Intersection Sec. line
Set post for corner
from which a Beech
7 inches diam. \approx bears
N 20° E 15 links and
a Hickory 12 inches
diam. \approx bears S 28° W
23 links distant

West 9.97 to Section Corner on
line dividing 16 & 21.

In Section 16

N 39° E 4.39

S 84° E 5.70

S 49° E 5.57

S 86° E 1.05

To Section line
Set post

East 14.15 across the River to
 $\frac{1}{4}$ Section post

In Section 16

N 86° E 2.48

N 74° E 8.73

N 61° E 10.00 64.58

N 35° E	2.34
N 18° E	5.15
N 22° W	3.30
N 8° W	4.4
N 20° E	7.13
N 42° E	3.41
N 57° E	5.17
N 84° E	2.35
N 81° E	3.42
N 87° E	9.3
S 35° W	4.85
S 22° E	5.78
S 12° E	5.63
S 35° E	2.61
S 27° W	2.23
S 24° E	5.95
N 6° E	2.00

Intersected line between 15.8.16 9th post for corner from which a cotton wood 3 inches diam^r bears S 41° 21' links and a maple 5 inches diam^r bears N 80° E 9 links or 12

S 30° E	3.22	In Section 13 - 75.84
---------	------	-----------------------

S 43° E	2.40
S 60° E	2.67
S 71° E	3.00
N 75° 30' E	5.59
N 30° E	1.19
N 4° W	2.92
N 6° E	3.17
N 26° E	4.15
N 42° E	2.18
N 42° E	2.98
N 52° E	4.1
N 27° E	5.63
S 80° E	3.25
" " "	1.21
S 68° W	4.65
S 42° E	3.60
S 60° E	4.12
N 82° E	2.83
S 85° E	3.83
S 87° E	3.29
S 74° E	2.30
S 60° E	5.71
S 53° E	3.79
S 39° E	1.36
S 52° E	" 70
S 26° E	1.30
S 46° E	" 79

172 E
 to a Brook Course
 from North 1 Chain &
 10 links wide

84.73

S 37° E 7¹¹/₈ 74
 S 24° E 4¹¹/₈ 7
 South 5¹¹/₈ 78

To Section line betw
 cen 14. & 15 Set post
 from which a cotton
 wood 10 inches diam^t
 bears S 13° W 10 links
 And a maple 4 inches
 diam^t bears N 90° E
 25 1/2 links distant

In Section 22

S 8° E 3¹¹/₈ 74
 S 20° E 4¹¹/₈ 83
 S 34° E 3¹¹/₈ 28

To line dividing Sections
 22. & 23. Set post from
 which a cotton wood 4
 inches diam^t bears
 S 22° E 18 links and a
 maple 2 1/2 inches diam^t
 bears S 57° W 5 1/2 links
 distant

S 70° E 9¹¹/₈ 89
 N 67° E 4¹¹/₈ 48

In Section 23

44 101

N 49° E 6" 24
 N 31° E 2" 41
 N 24° E 5" 00
 N 34° E " 93

Wednesday 17th May
 1820

To line dividing Section
 14. 823. Set post for
 corner from which a
 mulberry 4 inches diam
 bears N 65° 30' E 15
 links and a Boxwood
 12 inches diam^{at} bears
 S 64° E 23 1/2 links dist

East 5" 43 distance across the
 River

In Section 14

N 19° E 1" 40
 N 9° E 3" 93
 N 3° W 1" 92
 N 22° E 1" 10
 N 6° E 6" 94
 N 3° E 4" 42
 N 14° E 8" 76
 N 4° E 1" 63

50' 43

N 66° W	21145
N 10° E	5118
N 37° E	11174
N 24° E	1111
N 38° E	31130
N 48° E	51166
N 68° E	" 87
N 60° E	71135
N 70° E	21170
N 65° E	11131
N 43° E	41178
N 67° E	545
N 80° E	21125
N 45° E	41123
N 80° E	71185
S 80° E	21143
S 85° E	21150
N 82° E	21148
N 89° E	" 84
	67141

To Section line dividing
 13.8-1/4 1st horse
 for corner from
 which a Lye camou
 3 inches diam²¹ beam
 N 88° E 23 1/2 links
 And a Boxwood 4
 inches diam²¹ beam
 N 56° W 23 links div²¹

North	8 ¹¹ / ₅	In Section 13.
N 58° E	3 ¹¹ / ₂₃	
N 45° E	1 ¹¹ / ₉₇	
N 24° E	5 ¹¹ / ₅₉	
N 14° E	3 ¹¹ / ₀₀	to a Creek Course
" " "	1 ¹¹ / ₅₈	from N.W. dist. la.
N 7° E	2 ¹¹ / ₂₄	= run across 50 links
N 1° E	3 ¹¹ / ₁₅	
N 11° E	2 ¹¹ / ₄	
N 5° W	" ¹¹ / ₇₈	to line between 12.

& 13 Set post from
 which a Hackberry
 18 inches diam at base
 N 2° E 6¹/₂ links
 and a mulberry
 6 inches diam at base
 S 14° E 29 links
 distant

In Section 12

N 16° E	8 ¹¹ / ₆₇
N 21° E	6 ¹¹ / ₉₂
N 3° E	1 ¹¹ / ₅₈
N 15° E	4 ¹¹ / ₁₈
N 6° E	1 ¹¹ / ₈₅

55.64

N 19° E	2.20
N 12° E	2.34
N 19° E	2.36
N 12° E	3.11
N 19° E	1.93
N 23° E	4.50
N 28° E	4.14
N 39° E	1.50
N 30° E	11.27
N 46° E	2.50
N 36° E	3.50
N 46° E	4.77
N 60° E	1.46
N 57° E	15.16
N 12° E	6.9
N 8° E	1.26
	<hr/> 71.01

To line between Section
 1. B. 12. Set post for Corner
 from which a Hackberry
 12 inches diam. bears
 S 82° W 9 links and a
 Sycamore 4 feet diam.
 bears S 22° E 28 links
 distant

N 12° E	11.71
N 24° E	1.92
N 15° E	1.97
N 32° E	7.85
N 41° E	7.89
N 8° E	6.69
N 42° W	3.86
N 73° W	3.7
N 65° W	4.20
N 55° W	3.95
N 39° W	3.80
N 16° W	4.45
N 1° W	1.76
N 13° E	1.57
N 4° E	4.32
N 18° E	1.36
N 45° 30' E	4.27
N 69° E	2.56
S 50° E	2.26
N 30° E	9.15
N 7° W	4.90
N 34° W	5.94
N 18° W	1.71

The Section 1. N.W. Corner
of River

@ Creek Called Katite
Snake 1 Chain 30 links
wide Course from
N.W.

102" 4

To Township line more
Corner of a Buckeye

8 inches diam^r from
which a Hackberry
3 foot diam^r bears
at 19° W 25 links and
a Boxwood 12 inches
diam^r bears 89° E
64 links distant

East 6.66 width of the
River on Township
Line

Thursday 18th May
1820

102.84
 71.01
 55.64
 67.41
 50.43
 44.01
 84.73
 75.84
 64.58
 92.90
 118.24
 95.54
 102.33
 61.19
 21.19
 79.94
 97.32
 130.36
 102.57
 102.40
 109.70
 125.95
 83.78
 61.34
 79.51 $\frac{1}{2}$
 98.20
 106.18
 83.60

802512.17 (31.32.17)
 240
 112
 80
 32

2368.79 $\frac{1}{2}$
 143.38
 2512.17 $\frac{1}{2}$

